



ALTERNATIVE CEMENT

Drawdown Technical Assessment References

- Aceves, A. B. (2011). The use of non-commercial fly ash in roller compacted concrete structures. Presented at the World of Coal Ash (WOCA) Conference, Denver, CO. Retrieved from <http://www.flyash.info/2011/088-Aceves-2011.pdf>
- Ailun, Y., Kang, R., Xingmin, Z., Xu, H., Hanhua, Z., Miaohan, S., ... Fei, L. (2010). *The True Cost of Coal-- An investigation into coal ash in China*. Greenpeace. Retrieved from <http://www.greenpeace.org/usa/wp-content/uploads/legacy/Global/usa/planet3/publications/gwe/2010/coal-ash2010-ENG-RPT.pdf>
- Amato, I. (2013). Concrete solutions. *Nature*, 494(7437), 300–301. <https://doi.org/10.1038/494300a>
- AMPERE. (2015). AMPERE Public Database. Retrieved from tntcat.iiasa.ac.at/AMPEREDB/
- APP. (2009). *Energy efficiency and resource saving technologies in cement industry*. Asian-pacific partnership on clean development and climate, cement task force. Retrieved from http://www.asiapacificpartnership.org/pdf/Projects/Cement/APP_Booklet_of_Cement_Technology.pdf
- Arif Kamal, M. (2016). Recycling of Fly Ash as an Energy Efficient Building Material: A Sustainable Approach. In *Key Engineering Materials* (Vol. 692, pp. 54–65). Trans Tech Publ. Retrieved from <http://www.scientific.net/KEM.692.54>
- ARTBATDF. (2011). *The economic impacts of prohibiting coal fly ash use in transportation infrastructure construction*. American Road & Transportation Builders Association Transportation Development Foundation. Retrieved from <http://www.recyclingfirst.org/pdfs/104.pdf>
- Barsoum, M. W., Ganguly, A., & Hug, G. (2006). Microstructural Evidence of Reconstituted Limestone Blocks in the Great Pyramids of Egypt. *Journal of the American Ceramic Society*, 89(12), 3788–3796. <https://doi.org/10.1111/j.1551-2916.2006.01308.x>
- BCS, Incorporated. (2007). *Mining industry energy bandwidth study*. US Department of Energy, Industrial Technologies Program. Retrieved from https://energy.gov/sites/prod/files/2013/11/f4/mining_bandwidth.pdf

Bhattacharjee, U., & Kandpal, T. C. (2002). Potential of fly ash utilisation in India. *Energy*, 27(2), 151–166.

Biello, D. (2008). Cement from co2: A concrete cure for global warming. *Scientific American*, 7, 61.

Boden, Marland, & Andres. (2010). *Global, Regional, and National Fossil-Fuel CO2 Emissions*. Oak Ridge, TN, USA: Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy. Retrieved from http://cdiac.ornl.gov/trends/emis/tre_glob.html

Bucy, P. H. (2014, December 29). Fly ash marketers, users spared “hazardous material” stigma in EPA rule. Retrieved April 1, 2017, from http://heinonline.org/hol-cgi-bin/get_pdf.cgi?handle=hein.journals/hulr39§ion=38

CEMBUREAU. (2013). *The role of cement in the 2050 low carbon economy*. The European Cement Association. Retrieved from <http://lowcarboneyconomy.cembureau.eu/uploads/Modules/MCMedias/1380546575335/cembureau---full-report.pdf>

Cement and Concrete Association of New Zealand. (2007, December). Does concrete carbonate or recarbonate? *Concrete*. Retrieved from <http://www.sustainableconcrete.org.nz/page/carbonate-or-recarbonate.aspx>

CIRCA. (2013). *Utilization of coal ash from landfill* (Technical Fact Sheet No. 10). Association of Canadian Industries Recycling Coal Ash.

Crake, K. E. (2011). Fly ash reclamation through beneficiation. Presented at the World of Coal Ash (WOCA) Conference, Denver, CO. Retrieved from www.flyash.info/2011/169-Crake-2011.pdf

Davidovitis, J. (1994). Properties of geopolymer cements. In *First International Conference on Alkaline Cements and Concretes* (pp. 131–149). Kiev, Ukraine: Geopolymer Institute. Retrieved from https://www.geopolymer.org/fichiers_pdf/KIEV.pdf

Dodge, E. (2014). Can coal fly ash waste be put to good use? Retrieved June 17, 2015, from <http://www.theenergycollective.com/ed-dodge/343106/can-coal-fly-ash-waste-be-put-good-use>

Easton, T. (2015). Understanding ancient geopolymers used in Egyptian pyramids to modernize contemporary concrete masonry. *Watershed Materials*. Retrieved from <https://static1.squarespace.com/static/522005d3e4b005122eb8eb5e/t/55368a16e4b07d491f6ba488/1429637654553/WatershedMaterials-WhitePaper-AncientGeopolymersEgyptianPyramids-2015March.pdf>

Edens, T. F. (2011). Recovery and utilization of pond ash (Vol. 96). Presented at the International Ash Utilization Symposium, University of Kentucky. Retrieved from <http://www.flyash.info/1999/commerc/edens2.pdf>

EIA. (2015). Total Coal Consumption (thousand short tons). Retrieved from <https://www.eia.gov/coal/data.php>

Elfgren, L., Jonasson, J.-E., & Ronin, V. (2004). High Performance concretes with energetically modified cement (EMC). In *Ultra High Performance Concrete (UHPC)* (Vol. 3, pp. 93–103). Kassel, Germany:

University of Kassel, Germany. Retrieved from https://www.researchgate.net/profile/Lesday_Martinez/publication/271196269_Lime-pozzolan_binder_as_a_very_fine_mineral_admixture_in_concrete/links/54bffe160cf28a6324a03408.pdf#page=109

EPA. (2010). Available and emerging technologies for reducing greenhouse gas emissions from the Portland cement industry. U.S. Environmental Protection Agency. Retrieved from <https://www.epa.gov/sites/production/files/2015-12/documents/cement.pdf>

Finkenrath, M., Smith, J., & Volk, D. (2012). *CCS Retrofit: Analysis of the globally installed coal-fired power plant fleet* (Information paper). Paris: International Energy Agency. Retrieved from https://www.iea.org/publications/freepublications/publication/CCS_Retrofit.pdf

Gibbs, M. J., Soyka, P., & Conneely, D. (2001). *CO₂ Emissions from Cement Production* (Good Practice Guidance and Uncertainty Management, National Greenhouse Gas Inventories). Intergovernmental Panel on Climate Change. Retrieved from http://www.ipcc-nggip.iges.or.jp/public/gp/bgp/3_1_Cement_Production.pdf

Glazer, B., Graber, C., Roose, C., Syrett, P., & Youssef, C. (2011). *Fly ash in concrete* (White Paper). Perkins + Will. Retrieved from http://transparency.perkinswill.com/Content/Whitepapers/FlyAsh_WhitePaper.pdf

Gray, T. (2007, August 10). How to Make a Lamp out of Lime. Retrieved July 21, 2015, from <http://www.popsci.com/diy/article/2007-08/how-make-lamp-out-lime>

Hopkins, D. S., Thomas, M. D. A., Oates, D. B., Girm, G., & Munro, R. (2001). York University uses High-Volume Fly Ash Concrete for Green Building. In *Annual conference of the canadian Society for Civil Engineering, CSCE*. Retrieved from <http://ecosmartconcrete.com/docs/trhopkins03.pdf>

Humphreys, K., & Mahasenan, M. (2002). Substudy 8: Climate Change. In *Towards a Sustainable Cement Industry*. Battelle and World Business Council for Sustainable Development. Retrieved from http://www.wbcscement.org/pdf/battelle/final_report5.pdf

IEA, & WBCSD. (2009). *Cement Technology Roadmap 2009*. International Energy Agency and World Business Council for Sustainable Development. Retrieved from <https://www.iea.org/publications/freepublications/publication/Cement.pdf>

IPCC. (2014). 2014: Technical Summary. In *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, UK and New York, NY, USA: Cambridge University Press.

Jha, A. (2008). Revealed: The cement that eats carbon dioxide. *The Guardian*. Retrieved from <https://www.theguardian.com/environment/2008/dec/31/cement-carbon-emissions>

Kahn, M. E. (2009). Regional growth and exposure to nearby coal fired power plant emissions. *Regional Science and Urban Economics*, 39(1), 15–22. <https://doi.org/10.1016/j.regsciurbeco.2008.06.003>

Ke, J., McNeil, M., Price, L., Khanna, N. Z., & Zhou, N. (2013). *Estimation of CO₂ Emissions from China's Cement Production: Methodologies and Uncertainties*. Lawrence Berkeley National Laboratory. Retrieved from https://china.lbl.gov/sites/all/files/6329_ep_cement_co2.pdf

Kruger, R. A., & Krueger, J. E. (2005). Historical development of coal ash utilisation in South Africa. Presented at the 2005 World of Coal Ash (WOCA), Lexington, KY, USA. Retrieved from <http://www.flyash.info/2005/204kru.pdf>

Mehta, P. K., & Langley, W. S. (2000). Monolith foundation: Built to last a "1000 years." *Concrete International*, 27–32.

Mineral Products Association. (2013). *The UK cement industry aims to reduce greenhouse gases by 81% by 2050*. London: Mineral Products Association. Retrieved from http://cement.mineralproducts.org/documents/MPA_Cement_2050_Strategy.pdf

Moon, S. T. (2013). Regulatory and legal applications: fly ash use in cement and cementitious products. Presented at the 2013 World of Coal Ash (WOCA), Lexington, KY, USA. Retrieved from <http://www.flyash.info/2013/006-Moon-2013.pdf>

Moore, D. (1995). The Pantheon. Retrieved July 21, 2015, from <http://www.romanconcrete.com/docs/chapt01/chapt01.htm>

O'Brien, K. R., Ménaché, J., & O'Moore, L. M. (2009). Impact of fly ash content and fly ash transportation distance on embodied greenhouse gas emissions and water consumption in concrete. *The International Journal of Life Cycle Assessment*, 14(7), 621–629.

Perilli, D. (2015, May). The Skyonic Skymine: The future of cement plant carbon capture? *Global Cement Magazine*, 8–13.

Price, L., Hasanbeigi, A., Zhou, N., Thekdi, A., & Lan, W. (2011). *Increasing Energy Efficiency and Reducing Emissions from China's Cement Kilns: Audit Report of Two Cement Plants in Shandong Province, China*. Lawrence Berkeley National Laboratory. Retrieved from <http://escholarship.org/uc/item/1xq2279n.pdf>

Proctor, D. (2001). How much fly ash? *Concrete Construction*. Retrieved from http://www.concreteconstruction.net/how-to/materials/how-much-fly-ash_o

Putilov, V. Y., & Putilova, I. V. (2005). Modern approach to the problem of utilization of fly ash and bottom ash from power plants. Presented at the 2005 World of Coal Ash (WOCA), Lexington, KY, USA. Retrieved from www.flyash.info/2005/51put.pdf

Randers, J. (2012). *2052: A global forecast for the next forty years*. University of Cambridge Programme for Sustainability Leadership. Retrieved from <http://www.2052.info/book-2/>

Scotash. (2014). *BS EN 450 Fly Ash: Sustainable solutions for construction specialists*. Kincardine, Scotland: Scotash. Retrieved from http://www.scotash.com/sites/default/files/EN45%201014d1%20lo_0.pdf

Singapore, & BCA. (2012). *Sustainable construction: a guide on concrete usage index*. Singapore: The Centre of Sustainable Buildings and Construction, Building and Construction Authority. Retrieved from https://www.bca.gov.sg/SustainableConstruction/others/sc_cui_final.pdf

Solanki, J. V., Patel, R. P., & Pitroda, J. (2013). A study on low quality fly ash as an opportunity for sustainable and economical concrete, *2*(2), 116–118.

Swanson, A. (2015, March 24). How China used more cement in 3 years than the U.S. did in the entire 20th Century. *The Washington Post*. Retrieved from <http://www.washingtonpost.com/news/wonkblog/wp/2015/03/24/how-china-used-more-cement-in-3-years-than-the-u-s-did-in-the-entire-20th-century/>

Tayabji, S., Smith, K. D., & Van Dam, T. (2010). *Advanced High-Performance Materials for Highway Applications: A report on the state of technology* (No. FHWA-HIF-10-002). Washington, DC: US Department of Transportation, Federal Highway Administration. Retrieved from <https://www.fhwa.dot.gov/pavement/materials/pubs/hif10002/hif10002.pdf>

Taylor, M., Tam, C., & Gielen, D. (2006). Energy efficiency and CO₂ emissions from the global cement industry. *Korea*, *50*(2.2), 61–7.

TecEco. (2010). Tececo.

The Freedonia Group. (2011). *World Cement: industry study with forecasts for 2015 & 2020* (No. 2805).

Thomas, M. (2007). *Optimizing the use of fly ash in concrete* (No. 5420) (p. 24). Portland Cement Association. Retrieved from http://www.cement.org/docs/default-source/fc_concrete_technology/is548-optimizing-the-use-of-fly-ash-concrete.pdf

Trejo, M., Skipper, A., & Tempest, B. (2015). Design and construction of a fly ash geopolymers cement concrete residential building. Presented at the 2015 World of Coal Ash (WOCA), Nashville, TN, USA. Retrieved from www.flyash.info/2015/223-tempest-2015.pdf

Tyrer, M., Cheeseman, C. R., Greaves, R., Claisse, P. A., Ganjian, E., Kay, M., & Churchman-Davies, J. (2010). Potential for carbon dioxide reduction from cement industry through increased use of industrial pozzolans. *Advances in Applied Ceramics*, *109*(5), 275–279. <https://doi.org/10.1179/174367509X12595778633282>

U.S. Geological Survey. (2015). *Mineral Commodities Summaries 2015: U.S. Geological Survey*. Retrieved from <http://dx.doi.org/10.3133/70140094>

WSP Parsons Brinckerhoff. (2015). *Industrial decarbonisation & energy efficiency roadmaps to 2050: Cement*. Department of Energy & Climate Change, and Department for Business, Innovation & Skills. Retrieved from https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/416674/Cement_Report.pdf

Xu, J.-H., Fleiter, T., Fan, Y., & Eichhammer, W. (2014). CO₂ emissions reduction potential in China's cement industry compared to IEA's Cement Technology Roadmap up to 2050. *Applied Energy*, 130, 592–602. <https://doi.org/10.1016/j.apenergy.2014.03.004>

Yao, Z. T., Ji, X. S., Sarker, P. K., Tang, J. H., Ge, L. Q., Xia, M. S., & Xi, Y. Q. (2015). A comprehensive review on the applications of coal fly ash. *Earth-Science Reviews*, 141, 105–121. <https://doi.org/10.1016/j.earscirev.2014.11.016>