

PEATLAND PROTECTION AND REWETTING REFERENCES

Agricultural use of wetlands: opportunities and limitations. (n.d.). Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2794053/pdf/mcp172.pdf>

Agriculture, forestry and other land use emissions by sources and removals by sinks. (n.d.). 89.

Assessment of CO2 emissions from drained peatlands in SE Asia. (n.d.). Retrieved from <http://wetlands.or.id/PDF/buku/Peat%20CO2.pdf>

Barthelmes, A., Nordisk Ministerråd, & Nordisk Råd. (2015). *Peatlands and Climate in a Ramsar context: a Nordic-Baltic perspective*. Kbh.: Nordisk Ministerråd : Nordisk Råd : [Eksp.] www.norden.org/order.

Belyea, L. R., & Malmer, N. (2004). Carbon sequestration in peatland: patterns and mechanisms of response to climate change. *Global Change Biology*, 10(7), 1043–1052. <https://doi.org/10.1111/j.1529-8817.2003.00783.x>

Biancalani, R., Avagyan, A., & Food and Agriculture Organization of the United Nations (Eds.). (2014). *Towards climate-responsible peatlands management*. Rome: Food and Agriculture Organization of the United Nations (FAO).

Bragg, O. and Lindsay, R. (Eds.). (2003). *Strategy and Action Plan for Mire and Peatland Conservation in Central Europe*. (p. 94). Wageningen, The Netherlands: Wetlands International.

CARBON EMISSIONS DURING WILDLAND FIRE ON A NORTH AMERICAN TEMPERATE PEATLAND. (n.d.). Retrieved from <https://www.fireecologyjournal.org/docs/Journal/pdf/Volume13/Issue01/mickler-301.pdf>

Carbon sequestration in peatland: patterns and mechanisms of response to climate change. (n.d.). Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1529-8817.2003.00783.x>

Charman, D. J., Amesbury, M. J., Hinchliffe, W., Hughes, P. D. M., Mallon, G., Blake, W. H., ... Mauquoy, D. (2015). Drivers of Holocene peatland carbon accumulation across a climate gradient in northeastern North America. *Quaternary Science Reviews*, 121, 110–119. <https://doi.org/10.1016/j.quascirev.2015.05.012>

Chaudhary, N., Miller, P. A., & Smith, B. (2017). Modelling past, present and future peatland carbon accumulation across the pan-Arctic region. *Biogeosciences*, *14*(18), 4023–4044. <https://doi.org/10.5194/bg-14-4023-2017>

Crump, J. (Ed.). (2017). *Smoke on Water – Countering Global Threats From Peatland Loss and Degradation. A UNEP Rapid Response Assessment*. United Nations Environment Programme and GRID-Arendal, Nairobi and Arendal.

Current and future CO2 emissions from drained peatlands in Southeast Asia. (n.d.). Retrieved from http://www.globalcarbonproject.org/global/pdf/Hooijer_etal.2009.CO2%20Emissions%20from%20drained%20peatlands%20SEAsia.Biog-Disc.pdf

Dargie, G. C., Lewis, S. L., Lawson, I. T., Mitchard, E. T. A., Page, S. E., Bocko, Y. E., & Ifo, S. A. (2017). Age, extent and carbon storage of the central Congo Basin peatland complex. *Nature*, *542*(7639), 86–90. <https://doi.org/10.1038/nature21048>

Eickenscheidt, T., Heinichen, J., & Drösler, M. (2015). The greenhouse gas balance of a drained fen peatland is mainly controlled by land-use rather than soil organic carbon content. *Biogeosciences*, *12*(17), 5161–5184. <https://doi.org/10.5194/bg-12-5161-2015>

Emerton, L., & Bos, E. (2004). *Value: Counting ecosystems as water infrastructure*. Iucn.

Garneau, M., van Bellen, S., Magnan, G., Beaulieu-Audy, V., Lamarre, A., & Asnong, H. (2014). Holocene carbon dynamics of boreal and subarctic peatlands from Québec, Canada. *The Holocene*, *24*(9), 1043–1053. <https://doi.org/10.1177/0959683614538076>

Gaveau, D. L. A., Salim, M. A., Hergoualc’h, K., Locatelli, B., Sloan, S., Wooster, M., ... Sheil, D. (2015). Major atmospheric emissions from peat fires in Southeast Asia during non-drought years: evidence from the 2013 Sumatran fires. *Scientific Reports*, *4*(1). <https://doi.org/10.1038/srep06112>

Global Forest Watch. (n.d.). Retrieved from http://data.globalforestwatch.org/datasets/e129158a68434ca49d96a40d0e3109b1_2

Global peatland dynamics since the Last Glacial Maximum. (n.d.). Retrieved from <https://agupubs.onlinelibrary.wiley.com/doi/epdf/10.1029/2010GL043584>

Gumbricht, T., Roman-Cuesta, R. M., Verchot, L., Herold, M., Wittmann, F., Householder, E., ... Murdiyarto, D. (2017). An expert system model for mapping tropical wetlands and peatlands reveals South America as the largest contributor. *Global Change Biology*, *23*(9), 3581–3599. <https://doi.org/10.1111/gcb.13689>

Hooijer, A., Page, S., Canadell, J. G., Silvius, M., Kwadijk, J., Wösten, H., & Jauhiainen, J. (2009). Current and future CO₂ emissions from drained peatlands in Southeast Asia. *Biogeosciences Discussions*, 6(4), 7207–7230. <https://doi.org/10.5194/bgd-6-7207-2009>

Hooijer, A., Page, S., Canadell, J. G., Silvius, M., Kwadijk, J., Wösten, H., & Jauhiainen, J. (2010). Current and future CO₂ emissions from drained peatlands in Southeast Asia. *Biogeosciences*, 7(5), 1505–1514. <https://doi.org/10.5194/bg-7-1505-2010>

Hooijer, A., Page, S., Jauhiainen, J., Lee, W. A., Lu, X. X., Idris, A., & Anshari, G. (2012). Subsidence and carbon loss in drained tropical peatlands. *Biogeosciences*, 9(3), 1053–1071. <https://doi.org/10.5194/bg-9-1053-2012>

Hooijer, A., S., Marcel Hooijer, Wösten, H. .. Page, S. (2006). *Assessment of CO₂ emissions from drained peatlands in SE Asia*. 66.

Houghton, R. A., & Nassikas, A. A. (2017). Global and regional fluxes of carbon from land use and land cover change 1850-2015: Carbon Emissions From Land Use. *Global Biogeochemical Cycles*, 31(3), 456–472. <https://doi.org/10.1002/2016GB005546>

Hribljan, J. A., Cooper, D. J., Sueltenfuss, J., Wolf, E. C., Heckman, K. A., Lilleskov, E. A., & Chimner, R. A. (2015). *Carbon storage and long-term rate of accumulation in high-altitude Andean peatlands of Bolivia*. 14.

Huijnen, V., Wooster, M. J., Kaiser, J. W., Gaveau, D. L. A., Flemming, J., Parrington, M., ... van Weele, M. (2016). Fire carbon emissions over maritime southeast Asia in 2015 largest since 1997. *Scientific Reports*, 6(1). <https://doi.org/10.1038/srep26886>

Impact of global change and forest management on carbon sequestration in northern forested peatlands. (n.d.). Retrieved from https://www.researchgate.net/profile/Yves_Bergeron/publication/237154394_Impact_of_global_change_and_forest_management_on_carbon_sequestration_in_northern_forested_peatlands/links/00b7d530028389fcf7000000.pdf

INVENTORY ON AREA, SITUATION AND PERSPECTIVES OF REWETTING OF PEATLANDS IN RUSSIA UKRAINE & BELARUS. (n.d.). Retrieved from http://m-h-s.org/stiftung/upload/pdf-downloadbar/Inventory_of_peatlands_BY_UA_RU_small.pdf

IPCC (2013) Supplemente to the 2006 Guidelines.pdf. (n.d.).

IPCC. Hiraishi, T., Krug, T., Tanabe, K., Srivastava, N., Baasansuren, J., Fukuda, M. and Troxler, T.G. (eds). (n.d.). *2013 Supplement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories: Wetlands Methodological Guidance on Lands with Wet and Drained Soils, and Constructed Wetlands for Wastewater Treatment*. Switzerland: IPCC.

Joosten, H. (n.d.). *The Global Peatland CO₂ Picture*. 36.

Joosten, H., Tol, S., & Marja-Liisa Tapio-Biström (Eds.). (2012). *Peatlands: guidance for climate change mitigation through conservation, rehabilitation and sustainable use* (2nd ed). In (2nd ed). Rome: Food and Agriculture Organization of the United Nations : Wetlands International.

Juffe-Bignoli, D., Burgess, N.D., Bingham, H., Belle, E.M.S., de Lima, M.G., Deguignet, M., Bertzky, B., Milam, A.N., Martinez-Lopez, J., Lewis, E., Eassom, A., Wicander, S., Geldmann, J., van Soesbergen, A., & Arnell, A.P., O'Connor, B., Park, S., Shi, Y.N., Danks, F.S., MacSharry, B., Kingston, N. (2014). (2014). *Protected Planet Report 2014*. Cambridge, UK: UNEP-WCMC.

Köchy, M., Don, A., van der Molen, M. K., & Freibauer, A. (2015). Global distribution of soil organic carbon – Part 2: Certainty of changes related to land use and climate. *SOIL*, 1(1), 367–380. <https://doi.org/10.5194/soil-1-367-2015>

Köchy, M., Hiederer, R., & Freibauer, A. (2015). Global distribution of soil organic carbon – Part 1: Masses and frequency distributions of SOC stocks for the tropics, permafrost regions, wetlands, and the world. *SOIL*, 1(1), 351–365. <https://doi.org/10.5194/soil-1-351-2015>

Kurnianto, S., Warren, M., Talbot, J., Kauffman, B., Murdiyarso, D., & Frohking, S. (2015). Carbon accumulation of tropical peatlands over millennia: a modeling approach. *Global Change Biology*, 21(1), 431–444. <https://doi.org/10.1111/gcb.12672>

Land cover distribution in the peatlands of Peninsular Malaysia, Sumatra and Borneo in 2015 with changes since 1990. (n.d.). Retrieved from <https://www.sciencedirect.com/science/article/pii/S2351989415300470>

Lavoie, M., Paré, D., & Bergeron, Y. (2005). Impact of global change and forest management on carbon sequestration in northern forested peatlands. *Environmental Reviews*, 13(4), 199–240. <https://doi.org/10.1139/a05-014>

Leifeld, J., Alewell, C., Bader, C., Krüger, J. P., Mueller, C. W., Sommer, M., ... Szidat, S. (2018). Pyrogenic Carbon Contributes Substantially to Carbon Storage in Intact and Degraded Northern Peatlands. *Land Degradation & Development*, 29(7), 2082–2091. <https://doi.org/10.1002/ldr.2812>

Loisel, J., van Bellen, S., Pelletier, L., Talbot, J., Hugelius, G., Karran, D., ... Holmquist, J. (2017). Insights and issues with estimating northern peatland carbon stocks and fluxes since the Last Glacial Maximum. *Earth-Science Reviews*, 165, 59–80. <https://doi.org/10.1016/j.earscirev.2016.12.001>

Loisel, J., Yu, Z., Beilman, D. W., Camill, P., Alm, J., Amesbury, M. J., ... Zhou, W. (2014). A database and synthesis of northern peatland soil properties and Holocene carbon and nitrogen accumulation. *The Holocene*, 24(9), 1028–1042. <https://doi.org/10.1177/0959683614538073>

Lorenz, K., & Lal, R. (2018). *Carbon Sequestration in Agricultural Ecosystems*.
<https://doi.org/10.1007/978-3-319-92318-5>

Magnan, G., & Garneau, M. (2014). Climatic and autogenic control on Holocene carbon sequestration in ombrotrophic peatlands of maritime Quebec, eastern Canada. *The Holocene*, 24(9), 1054–1062. <https://doi.org/10.1177/0959683614540727>

Mahanama, P. (2001). Planning and management aspects in Muthurajawela and Negombo lagoon. *CEMARE Rep.*, (55), 91–105.

Major atmospheric emissions from peat fires in Southeast Asia during non-drought years: evidence from the 2013 Sumatran fires. (n.d.). Retrieved from
<https://www.nature.com/articles/srep06112.pdf>

Marsden, K., & Ebmeier, S. (n.d.). *Peatlands and Climate Change*. 36.

Mickler, R. A., Welch, D. P., & Bailey, A. D. (2017). Carbon Emissions During Wildland Fire in a North American Temperate Peatland. *Fire Ecology*, 13(1), 34–57.
<https://doi.org/10.4996/fireecology.1301034>

Miettinen, J., Shi, C., & Liew, S. C. (2016). Land cover distribution in the peatlands of Peninsular Malaysia, Sumatra and Borneo in 2015 with changes since 1990. *Global Ecology and Conservation*, 6, 67–78. <https://doi.org/10.1016/j.gecco.2016.02.004>

Minaeva et al. (2008).pdf. (n.d.).

Minaeva, T., Sirin, A., Alexander Mischenko, Ukraine: Irina Mikitiuk, Sergej Chumachenko, Annett Thiele, & Nina Tanavitskaya, Alexander Kozulin, Annett Thiele. (2008). *Inventory of area, situation and perspectives of rewetting of peatlands in Russia, Ukraine and Belarus* [Prepared for the seminar 'Market Based Instruments for the Rewetting of Peatlands' held during 12.-17.11.08 on International Academy of Nature Conservation, Isle of Vilm, Lauterbach, Germany].

Minasny, B., Malone, B. P., McBratney, A. B., Angers, D. A., Arrouays, D., Chambers, A., ... Winowiecki, L. (2017). Soil carbon 4 per mille. *Geoderma*, 292, 59–86.
<https://doi.org/10.1016/j.geoderma.2017.01.002>

Murdiyarso, D., Hergoualc'h, K., Verchot, L. V. (2010). Opportunities for reducing greenhouse gas emissions in tropical peatlands. *PNAS*, 107(46), 19655–19660.

Nakatsubo, T., Uchida, M., Sasaki, A., Kondo, M., Yoshitake, S., & Kanda, H. (2015). Carbon accumulation rate of peatland in the High Arctic, Svalbard: Implications for carbon sequestration. *Polar Science*, 9(2), 267–275. <https://doi.org/10.1016/j.polar.2014.12.002>

Nayak, D. R., Miller, D., Nolan, A., Smith, P., & Smith, J. (2008). Calculating carbon savings from wind farms on Scottish peat lands—a new approach. *School of Biological Science, University of Aberdeen, and Macaulay Land Use Research Institute, Aberdeen, UK.*

Opportunities for reducing greenhouse gas emissions in tropical peatlands. (n.d.). Retrieved from <http://www.pnas.org/content/pnas/107/46/19655.full.pdf>

Page, S. E., & Hooijer, A. (2016). In the line of fire: the peatlands of Southeast Asia. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371(1696), 20150176. <https://doi.org/10.1098/rstb.2015.0176>

Peatlands - guidance for climate change mitigation through conservation, rehabilitation and sustainable use. (n.d.-a). Retrieved from <http://www.fao.org/3/a-an762e.pdf>

Peatlands - guidance for climate change mitigation through conservation, rehabilitation and sustainable use. (n.d.-b). Retrieved from <http://www.fao.org/3/a-an762e.pdf>

Policy and scientific responses to degrading peatlands in relation to climate change. (n.d.). Retrieved from <http://edepot.wur.nl/351858>

Schrier-Uijl, A. P., Kroon, P. S., Hendriks, D. M. D., Hensen, A., Van Huissteden, J. C., Leffelaar, P. A., ... Veenendaal, E. M. (2013). Agricultural peat lands; towards a greenhouse gas sink – a synthesis of a Dutch landscape study. *Biogeosciences Discussions*, 10(6), 9697–9738. <https://doi.org/10.5194/bgd-10-9697-2013>

Shantz, M., & Price, J. (2006). Hydrological changes following restoration of the Bois-des-Bel Peatland, Quebec, 1999–2002. *Journal of Hydrology*, 331(3), 543–553.

Silvius, M. (n.d.). *Policy and scientific responses to degrading peatlands in relation to climate change.*

SPICe Briefing Peatlands and Climate Change. (n.d.). Retrieved from http://www.parliament.scot/ResearchBriefingsAndFactsheets/S4/SB_12-28.pdf

Strack, M. (n.d.). *Peatlands and Climate Change.* 227.

Strategy and Action Plan for Mire and Peatland Conservation in Central Europe. (n.d.). Retrieved from http://roar.uel.ac.uk/3588/1/WI_CEPP_2003.pdf

Tacconi, L. (2003). *Fires in Indonesia: causes, costs and policy implications.* CIFOR, Bogor, Indonesia.

The amount of carbon released from peat and forest fires in Indonesia during 1997. (n.d.). Retrieved from https://s3.amazonaws.com/academia.edu.documents/43174123/Page_SE_Siegert_F_Rieley_J_et_al._The_am20160228-31555-xmcoxi.pdf

The Global Peatland CO₂ Picture. (n.d.). Retrieved from file:///C:/Users/aaa/Downloads/The-Global-Peatland-CO2-Picture_web-Aug-2010.pdf

Urák, I., Hartel, T., Gallé, R., & Balog, A. (2017). Worldwide peatland degradations and the related carbon dioxide emissions: the importance of policy regulations. *Environmental Science & Policy*, 69, 57–64. <https://doi.org/10.1016/j.envsci.2016.12.012>

Verhoeven, J. T. A., & Setter, T. L. (2010). Agricultural use of wetlands: opportunities and limitations. *Annals of Botany*, 105(1), 155–163. <https://doi.org/10.1093/aob/mcp172>

Warren, M., Hergoualc’h, K., Kauffman, J. B., Murdiyarso, D., & Kolka, R. (2017). An appraisal of Indonesia’s immense peat carbon stock using national peatland maps: uncertainties and potential losses from conversion. *Carbon Balance and Management*, 12(1). <https://doi.org/10.1186/s13021-017-0080-2>

Wetlands_Supplement_Entire_Report.pdf. (n.d.). Retrieved from https://www.ipcc-nggip.iges.or.jp/public/wetlands/pdf/Wetlands_Supplement_Entire_Report.pdf

World Conservation Monitoring Centre, & International Union for Conservation of Nature and Natural Resources. (2012). *Protected planet report 2012: tracking progress towards global targets for protected areas.* Gland, Switzerland: IUCN.

Xu, J., Morris, P. J., Liu, J., & Holden, J. (2018). PEATMAP: Refining estimates of global peatland distribution based on a meta-analysis. *CATENA*, 160, 134–140. <https://doi.org/10.1016/j.catena.2017.09.010>

Yu, Z. C. (2012). Northern peatland carbon stocks and dynamics: a review. *Biogeosciences*, 9(10), 4071–4085. <https://doi.org/10.5194/bg-9-4071-2012>

Yu, Z., Loisel, J., Brosseau, D. P., Beilman, D. W., & Hunt, S. J. (2010). Global peatland dynamics since the Last Glacial Maximum: GLOBAL PEATLANDS SINCE THE LGM. *Geophysical Research Letters*, 37(13), n/a-n/a. <https://doi.org/10.1029/2010GL043584>

Zhang, Z., Zimmermann, N. E., Stenke, A., Li, X., Hodson, E. L., Zhu, G., ... Poulter, B. (2017). Emerging role of wetland methane emissions in driving 21st century climate change. *Proceedings of the National Academy of Sciences*, 114(36), 9647–9652. <https://doi.org/10.1073/pnas.1618765114>

Zhuang, Q., Melillo, J. M., Kicklighter, D. W., Prinn, R. G., McGuire, A. D., Steudler, P. A., ... Hu, S. (2004). Methane fluxes between terrestrial ecosystems and the atmosphere at northern high latitudes during the past century: A retrospective analysis with a process-based biogeochemistry model: METHANE EMISSIONS FROM NORTHERN HIGH LATITUDES. *Global Biogeochemical Cycles*, 18(3), n/a-n/a. <https://doi.org/10.1029/2004GB002239>