



BIOPLASTIC

Drawdown Technical Assessment References

Aide, T. M., Clark, M. L., Grau, H. R., López-Carr, D., Levy, M. A., Redo, D., ... Muñiz, M. (2013). Deforestation and reforestation of Latin America and the Caribbean (2001–2010). *Biotropica*, 45(2), 262–271.

Akiyama, M., Tsuge, T., & Doi, Y. (2003). Environmental life cycle comparison of polyhydroxyalkanoates produced from renewable carbon resources by bacterial fermentation. *Polymer Degradation and Stability*, 80(1), 183–194. [https://doi.org/10.1016/S0141-3910\(02\)00400-7](https://doi.org/10.1016/S0141-3910(02)00400-7)

Álvarez-Chávez, C. R., Edwards, S., Moure-Eraso, R., & Geiser, K. (2012). Sustainability of bio-based plastics: general comparative analysis and recommendations for improvement. *Journal of Cleaner Production*, 23(1), 47–56. <https://doi.org/10.1016/j.jclepro.2011.10.003>

Astrup, T., Fruergaard, T., & Christensen, T. H. (2009). Recycling of plastic: accounting of greenhouse gases and global warming contributions. *Waste Management & Research*, 27(8), 763–772. <https://doi.org/10.1177/0734242X09345868>

Babu, R. P., O'Connor, K., & Seeram, R. (2013). Current progress on bio-based polymers and their future trends. *Progress in Biomaterials*, 2(1), 8. <https://doi.org/10.1186/2194-0517-2-8>

Beilen, J. B. van, & Poirier, Y. (2007). Prospects for Biopolymer Production in Plants. In A. Fiechter & C. Sautter (Eds.), *Green Gene Technology* (pp. 133–151). Springer Berlin Heidelberg. Retrieved from http://link.springer.com.ezproxy1.lib.asu.edu/chapter/10.1007/10_2007_056

Biron, M. (2015, February 26). Thermoplastics and Thermoplastic Composites - Michel Biron - Google Books. Retrieved February 26, 2015, from <https://books.google.com/books?id=Bhlkvl9tossC&pg=PA989&lpg=PA989&dq=biopolymer+price&source=bl&ots=lh8V46QEdG&sig=7sHVNx8QXbFOmVPbbZ3rgVILIGI&hl=en&sa=X&ei=AlvvKSGFM7qoATK8IHgBA&ved=0CDEQ6AEwBDgK#v=onepage&q&f=false>

Braasch, G. (2015, March 9). RE: research question PLA pricepoints.

Byrne, J. (2008, November 8). Price stabilization of bioplastics expected in 2015. Retrieved February 13, 2015, from <http://www.foodproductiondaily.com/Packaging/Price-stabilization-of-bioplastics-expected-in-2015>

Chen, A. (2014, June). Ninety-nine percent of the ocean's plastic is missing | Science/AAAS | News. Retrieved July 27, 2015, from <http://news.sciencemag.org/environment/2014/06/ninety-nine-percent-oceans-plastic-missing>

Cózar, A., Echeverría, F., González-Gordillo, I., Irigoien, X., Úbeda, B., Hernández-León, S., ... Duarte, C. (2014). Plastic debris in the open ocean. *PNAS*, *111*(28), 10239–10244. <https://doi.org/10.1073/pnas.1314705111>

Crank, M., Patel, M., Marscheider-Weidemann, F., Schleich, J., Huesing, B., & Angerer, G. (2004). *Techno-economic feasibility of large-scale production of bio-based polymers in Europe (PRO-BIP). Final report*. Department of Science, Technology and Society NWS, Copernicus Institute, Utrecht University, Utrecht (Netherlands). Retrieved from http://inis.iaea.org/Search/search.aspx?orig_q=RN:37032239

de Jong, E., Higson, A., Walsh, P., & Wellisch, M. (2012). Product developments in the bio-based chemicals arena. *Biofuels, Bioproducts and Biorefining*, *6*(6), 606–624. <https://doi.org/10.1002/bbb.1360>

Dornburg, V., Lewandowski, I., & Patel, M. (2003). Comparing the Land Requirements, Energy Savings, and Greenhouse Gas Emissions Reduction of Biobased Polymers and Bioenergy. *Journal of Industrial Ecology*, *7*(3–4), 93–116. <https://doi.org/10.1162/108819803323059424>

European Bioplastics. (2014). *Bioplastics facts and figures* (pp. 1–6).

Gerngross, T. U., & Slater, S. C. (2000). How Green are Green Plastics? *Scientific American*, *283*(2), 36–41. <https://doi.org/10.1038/scientificamerican0800-36>

Gironi, F., & Piemonte, V. (2011). Bioplastics and Petroleum-based Plastics: Strengths and Weaknesses. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, *33*(21), 1949–1959. <https://doi.org/10.1080/15567030903436830>

Gironi, F., & Piemonte, V. (2011). Life cycle assessment of polylactic acid and polyethylene terephthalate bottles for drinking water. *Environmental Progress & Sustainable Energy*, *30*(3), 459–468. <https://doi.org/10.1002/ep.10490>

Grande, J. (n.d.). Biopolymers Strive to Meet Price/Performance Challenge. *Plastics Technology*, (March 2007). Retrieved from <http://www.ptonline.com/articles/biopolymers-strive-to-meet-price-performance-challenge>

Groot, W. J., & Borén, T. (2010a). Life cycle assessment of the manufacture of lactide and PLA biopolymers from sugarcane in Thailand. *The International Journal of Life Cycle Assessment*, *15*(9), 970–984. <https://doi.org/10.1007/s11367-010-0225-y>

Groot, W. J., & Borén, T. (2010b). Life cycle assessment of the manufacture of lactide and PLA biopolymers from sugarcane in Thailand. *The International Journal of Life Cycle Assessment*, *15*(9), 970–984. <https://doi.org/10.1007/s11367-010-0225-y>

Gunther, M. (2013, October 22). Can mushrooms replace plastic? Retrieved July 27, 2015, from <http://www.theguardian.com/sustainable-business/mushrooms-new-plastic-ecovative>

Guo, M. (2012). LCA Case Studies of Starch-Based Foam. In *Life Cycle Assessment (LCA) of Light-Weight Eco-composites* (pp. 153–220). Springer Berlin Heidelberg. Retrieved from http://link.springer.com/chapter/10.1007/978-3-642-35037-5_4

Guzman, D. de. (2012, November 11). PHA bioplastic update. Retrieved February 26, 2015, from <http://greenchemicalsblog.com/2012/11/11/pha-bioplastic-update/>

Hermann, B. G., Blok, K., & Patel, M. K. (2010). Twisting biomaterials around your little finger: environmental impacts of bio-based wrappings. *The International Journal of Life Cycle Assessment*, 15(4), 346–358. <https://doi.org/10.1007/s11367-010-0155-8>

Hottle, T. A., Bilec, M. M., & Landis, A. E. (2013). Sustainability assessments of bio-based polymers. *Polymer Degradation and Stability*, 98(9), 1898–1907. <https://doi.org/10.1016/j.polymdegradstab.2013.06.016>

Iles, A., & Martin, A. N. (2013). Expanding bioplastics production: sustainable business innovation in the chemical industry. *Journal of Cleaner Production*, 45, 38–49. <https://doi.org/10.1016/j.jclepro.2012.05.008>

Iwata, T. (2015). Biodegradable and Bio-Based Polymers: Future Prospects of Eco-Friendly Plastics. *Angewandte Chemie International Edition*, n/a-n/a. <https://doi.org/10.1002/anie.201410770>

Jambeck, J. R., Geyer, R., Wilcox, C., Siegler, T. R., Perryman, M., Andrady, A., ... Law, K. L. (2015). Plastic waste inputs from land into the ocean. *Science*, 347(6223), 768–771. <https://doi.org/10.1126/science.1260352>

Joshi, S. (2008). Can Nanotechnology Improve the Sustainability of Biobased Products? *Journal of Industrial Ecology*, 12(3), 474–489. <https://doi.org/10.1111/j.1530-9290.2008.00039.x>

Karpušenkaitė, A., & Varžinskas, V. (2014). Bioplastics: Development, Possibilities and Difficulties. *Environmental Research, Engineering and Management*, 68(2). <https://doi.org/10.5755/j01.irem.68.2.6777>

Kendall, A. (2012). A life cycle assessment of biopolymer production from material recovery facility residuals. *Resources, Conservation and Recycling*, 61, 69–74. <https://doi.org/10.1016/j.resconrec.2012.01.008>

Khan, J. (2009, June). Plastic. Fantastic? | Mother Jones. Retrieved July 27, 2015, from <http://www.motherjones.com/environment/2009/05/plastic-fantastic>

Khoo, H. H., & Tan, R. B. H. (2010). Environmental impacts of conventional plastic and bio-based carrier bags. *The International Journal of Life Cycle Assessment*, 15(4), 338–345. <https://doi.org/10.1007/s11367-010-0163-8>

Kim, S., & Dale, B. (2004). Life Cycle Assessment Study of Biopolymers (Polyhydroxyalkanoates) - Derived from No-Tilled Corn (11 pp). *The International Journal of Life Cycle Assessment*, 10(3), 200–210. <https://doi.org/10.1065/lca2004.08.171>

Kline-Group. (2014). *Biopolymers: Global Market Brief*.

Kolstad, J. J., Vink, E. T. H., De Wilde, B., & Debeer, L. (2012). Assessment of anaerobic degradation of Ingeo™ polylactides under accelerated landfill conditions. *Polymer Degradation and Stability*, 97(7), 1131–1141. <https://doi.org/10.1016/j.polymdegradstab.2012.04.003>

Lamb, R. (n.d.). Can we ever replace plastic? Retrieved July 27, 2015, from <http://science.howstuffworks.com/environmental/green-science/can-we-replace-plastic.htm>

Laszlo, C., & Myers, M. (2008). *NATURE WORKS LLC*. Weatherhead School of Management at Case Western Reserve University.

MarketsandMarkets. (2015a). Lactic Acid Market & Polylactic Acid Market by Application & Geography - 2019 | Marketsandmarkets. Retrieved February 25, 2015, from <http://www.marketsandmarkets.com/Market-Reports/polylacticacid-387.html>

MarketsandMarkets. (2015b, February 16). Bioplastics & Biopolymers Market by Type (PHA, Bio PE, PLA, Bio PET) & Application - 2018 | MarketsandMarkets. Retrieved February 16, 2015, from <http://www.marketsandmarkets.com/Market-Reports/biopolymers-bioplastics-market-88795240.html>

Miel, R. (2014, March 6). With 1 billion pounds of PLA sold, NatureWorks sees rapid growth to 2 billion. Retrieved February 7, 2015, from <http://www.plasticsnews.com/article/20140306/NEWS/140309947/with-1-billion-pounds-of-pla-sold-natureworks-sees-rapid-growth-to-2-billion>

Mohan, A. M., & Editor, S. (2015, February 13). Key trends driving bioplastics for packaging | Packaging World. Retrieved February 13, 2015, from <http://www.packworld.com/sustainability/bioplastics/key-trends-driving-bioplastics-packaging>

Mosko, S. (2015, February 23). Bioplastics: Are They the Solution? Retrieved February 23, 2015, from <https://sarahmosko.wordpress.com/2012/10/08/bioplastics-are-they-the-solution/>

Narayan, R. (2011). Carbon footprint of bioplastics using biocarbon content analysis and life-cycle assessment. *MRS Bulletin*, 36(9), 716–721. <https://doi.org/10.1557/mrs.2011.210>

O'Brine, T., & Thompson, R. C. (2010). Degradation of plastic carrier bags in the marine environment. *Marine Pollution Bulletin*, 60(12), 2279–2283. <https://doi.org/10.1016/j.marpolbul.2010.08.005>

Patel, M., Bastioli, C., Marini, L., & Würdinger, E. (2005). Life-cycle Assessment of Bio-based Polymers and Natural Fiber Composites. In *Biopolymers Online*. Wiley-VCH Verlag GmbH & Co. KGaA. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/3527600035.bpola014/abstract>

- Patel, M., Crank, M., Dornburg, V., Hermann, B., Roes, L., Husing, B., ... Elena, R. (2006). *Medium and long-term opportunities and risks of the biotechnological production of bulk chemicals from renewable resources - The BREW Project*. European Commissions's GROWTH Programme. Retrieved from http://brew.geo.uu.nl/BREW_Final_Report_September_2006.pdf
- Philip, J. C., & Ritchie, R. J. (2013). Biobased plastics in a bioeconomy. *Trends in Biotechnology*, 31(2), 65–67.
- Piemonte, V. (2011). Bioplastic Wastes: The Best Final Disposition for Energy Saving. *Journal of Polymers and the Environment*, 19(4), 988–994. <https://doi.org/10.1007/s10924-011-0343-z>
- Piemonte, V., & Gironi, F. (2011). Land-use change emissions: How green are the bioplastics? *Environmental Progress & Sustainable Energy*, 30(4), 685–691. <https://doi.org/10.1002/ep.10518>
- Piemonte, V., & Gironi, F. (2012). Bioplastics and GHGs Saving: The Land Use Change (LUC) Emissions Issue. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 34(21), 1995–2003. <https://doi.org/10.1080/15567036.2010.497797>
- Razza, F., Fieschi, M., Innocenti, F. D., & Bastioli, C. (2009). Compostable cutlery and waste management: An LCA approach. *Waste Management*, 29(4), 1424–1433. <https://doi.org/10.1016/j.wasman.2008.08.021>
- Razza, F., & Innocenti, F. D. (2012). Bioplastics from renewable resources: the benefits of biodegradability. *Asia-Pacific Journal of Chemical Engineering*, 7, S301–S309. <https://doi.org/10.1002/apj.1648>
- Reddy, M. M., Vivekanandhan, S., Misra, M., Bhatia, S. K., & Mohanty, A. K. (2013). Biobased plastics and bionanocomposites: Current status and future opportunities. *Progress in Polymer Science*, 38(10–11), 1653–1689. <https://doi.org/10.1016/j.progpolymsci.2013.05.006>
- Rochman, C. M., Browne, M. A., Halpern, B. S., Hentschel, B. T., Hoh, E., Karapanagioti, H. K., ... Thompson, R. C. (2013). Policy: Classify plastic waste as hazardous. *Nature*, 494(7436), 169–171. <https://doi.org/10.1038/494169a>
- Schut, J. (2007). Extruding Biopolymers: Packaging Reaps Cost Benefit of Going “Green.” *Plastics Technology*, (February 2007). Retrieved from <http://www.ptonline.com/articles/extruding-biopolymers-packaging-reaps-cost-benefit-of-going-%27green%27>
- Schut, J. (2015, February 26). Where is Metabolix's PHA biopolymer? Retrieved February 26, 2015, from <http://plasticsengineeringblog.com/2011/01/19/where-is-metabolix%e2%80%99s-pha-biopolymer/>
- Shen, L., Haufe, J., & Patel, M. K. (2009). *Product overview and market projection of emerging bio-based plastics PRO-BIP 2009* (No. 243). European Polysaccharide Network of Excellence (EPNOE) and European Bioplastics.
- Shen, L., & Patel, M. K. (2008). Life Cycle Assessment of Polysaccharide Materials: A Review. *Journal of Polymers and the Environment*, 16(2), 154–167. <https://doi.org/10.1007/s10924-008-0092-9>

- Shen, L., Worrell, E., & Patel, M. (2010). Present and future development in plastics from biomass. *Biofuels, Bioproducts and Biorefining*, 4(1), 25–40. <https://doi.org/10.1002/bbb.189>
- Smith, A. (2014, August 21). Global Plastics Market Will Grow at a Steady Rate of 5.3% from 2014 to 2020: Grand View Research, inc. Retrieved February 23, 2015, from <http://www.benzinga.com/14/08/4795389/global-plastics-market-will-grow-at-a-steady-rate-of-5-3-from-2014-to-2020-grand-view->
- Smithers-Pira. (2013). *The Future of Bioplastics for Packaging to 2023* (p. 125). Smithers Pira. Retrieved from <https://www.smitherspira.com/products/market-reports/packaging/rigid-packaging/bioplastics-in-packaging>
- Snell, K. D., Singh, V., & Brumbley, S. M. (2015). Production of novel biopolymers in plants: recent technological advances and future prospects. *Current Opinion in Biotechnology*, 32, 68–75. <https://doi.org/10.1016/j.copbio.2014.11.005>
- Suwanmanee, U., Varabuntoonvit, V., Chaiwutthinan, P., Tajan, M., Mungcharoen, T., & Leejarkpai, T. (2012). Life cycle assessment of single use thermoform boxes made from polystyrene (PS), polylactic acid, (PLA), and PLA/starch: cradle to consumer gate. *The International Journal of Life Cycle Assessment*, 18(2), 401–417. <https://doi.org/10.1007/s11367-012-0479-7>
- Tabone, M. D., Cregg, J. J., Beckman, E. J., & Landis, A. E. (2010). Sustainability Metrics: Life Cycle Assessment and Green Design in Polymers. *Environmental Science & Technology*, 44(21), 8264–8269. <https://doi.org/10.1021/es101640n>
- Tharanathan, R. N. (2003). Biodegradable films and composite coatings: past, present and future. *Trends in Food Science & Technology*, 14(3), 71–78. [https://doi.org/10.1016/S0924-2244\(02\)00280-7](https://doi.org/10.1016/S0924-2244(02)00280-7)
- Trimarchi, M., & Giuggio, V. (n.d.). Top 10 Eco-friendly Substitutes for Plastic. Retrieved July 27, 2015, from <http://science.howstuffworks.com/environmental/green-tech/sustainable/5-plastic-substitutes.htm>
- US EPA, O. (2015, March 25). Solid Waste Management Hierarchy [Overviews & Factsheets]. Retrieved March 25, 2015, from <http://www.epa.gov/waste/nonhaz/municipal/hierarchy.htm>
- USEPA. (2011). *Municipal Solid Waste Generation, Recycling, and Disposal in the United States: Facts and Figures for 2011*. US Environmental Protection Agency.
- Vinçotte. (2012). Download documentation - VINÇOTTE - OK compost - Global Solutions Provider. Retrieved July 27, 2015, from <http://www.okcompost.be/en/download-documentation/>
- Vink, E. T. H., Davies, S., & Kolstad, J. J. (2010). ORIGINAL RESEARCH: The eco-profile for current Ingeo® polylactide production. *Industrial Biotechnology*, 6(4), 212–224. <https://doi.org/10.1089/ind.2010.6.212>

Vink, E. T. H., Rábago, K. R., Glassner, D. A., & Gruber, P. R. (2003). Applications of life cycle assessment to NatureWorks™ polylactide (PLA) production. *Polymer Degradation and Stability*, 80(3), 403–419. [https://doi.org/10.1016/S0141-3910\(02\)00372-5](https://doi.org/10.1016/S0141-3910(02)00372-5)

Vink, E. T. H., Rábago, K. R., Glassner, D. A., Springs, B., O'Connor, R. P., Kolstad, J., & Gruber, P. R. (2004). The Sustainability of NatureWorks™ Polylactide Polymers and Ingeo™ Polylactide Fibers: an Update of the Future. *Macromolecular Bioscience*, 4(6), 551–564. <https://doi.org/10.1002/mabi.200400023>

Weiss, M., Haufe, J., Carus, M., Brandão, M., Bringezu, S., Hermann, B., & Patel, M. K. (2012). A Review of the Environmental Impacts of Biobased Materials. *Journal of Industrial Ecology*, 16, S169–S181. <https://doi.org/10.1111/j.1530-9290.2012.00468.x>

Yates, M. R., & Barlow, C. Y. (2013). Life cycle assessments of biodegradable, commercial biopolymers—A critical review. *Resources, Conservation and Recycling*, 78, 54–66. <https://doi.org/10.1016/j.resconrec.2013.06.010>