



# COMPOSTING

## Drawdown Technical Assessment References

Adhikari, B. K., Barrington, S., & Martinez, J. (2006). Predicted growth of world urban food waste and methane production. *Waste Management & Research*, 24(5), 421–433. <http://doi.org/10.1177/0734242X06067767>

Barton, J. R., Issaias, I., & Stentiford, E. I. (2008). Carbon – Making the right choice for waste management in developing countries. *Waste Management*, 28(4), 690–698. <http://doi.org/10.1016/j.wasman.2007.09.033>

BASF. (2012). These maps show how the world composts. Retrieved from <http://qz.com/216261/these-maps-show-how-the-world-composts/>

Bernal, M. P., Sánchez-Monedero, M. A., Paredes, C., & Roig, A. (1998). Carbon mineralization from organic wastes at different composting stages during their incubation with soil. *Agriculture, Ecosystems & Environment*, 69(3), 175–189. [http://doi.org/10.1016/S0167-8809\(98\)00106-6](http://doi.org/10.1016/S0167-8809(98)00106-6)

Bernstad, A., & la Cour Jansen, J. (2012). Review of comparative LCAs of food waste management systems – Current status and potential improvements. *Waste Management*, 32(12), 2439–2455. <http://doi.org/10.1016/j.wasman.2012.07.023>

Bogner, J., Pipatti, R., Hashimoto, S., Diaz, C., Mareckova, K., Diaz, L., ... Gregory, R. (2008). Mitigation of global greenhouse gas emissions from waste: conclusions and strategies from the Intergovernmental Panel on Climate Change (IPCC) Fourth Assessment Report. Working Group III (Mitigation). *Waste Management & Research*, 26(1), 11–32. <http://doi.org/10.1177/0734242X07088433>

Bourgeais, V. (2015, March 26). Each person in the EU generated 481 kg of municipal waste in 2013. Eurostat Press Office. Retrieved from <http://ec.europa.eu/eurostat/documents/2995521/6757479/8-26032015-AP-EN.pdf/a2982b86-9d56-401c-8443-ec5b08e543cc>

Brown, S., Kruger, C., & Subler, S. (2008). Greenhouse Gas Balance for Composting Operations. *Journal of Environment Quality*, 37(4), 1396. <http://doi.org/10.2134/jeq2007.0453>

Bustamante, M. A., Albuquerque, J. A., Restrepo, A. P., de la Fuente, C., Paredes, C., Moral, R., & Bernal, M. P. (2012). Co-composting of the solid fraction of anaerobic digestates, to obtain added-value

materials for use in agriculture. *Biomass and Bioenergy*, 43, 26–35.  
<http://doi.org/10.1016/j.biombioe.2012.04.010>

CalRecycle. (2013, June 18). Composting and anaerobic digestion. Retrieved from  
<http://www.calrecycle.ca.gov/Actions/Documents%5C77%5C20132013%5C900%5CComposting%20and%20Anaerobic%20Digestion.pdf>

Campbell, S., Glasser, H., Shultz, J., & Cooper, S. (2009). *Western Michigan University Composting: A Review and Assessment of Food Waste Composting Alternatives*. Western Michigan University. Retrieved from <http://wmich.edu/sites/default/files/attachments/110426-composting-report.pdf>

Clavreul, J., Guyonnet, D., & Christensen, T. H. (2012). Quantifying uncertainty in LCA-modelling of waste management systems. *Waste Management*, 32(12), 2482–2495.  
<http://doi.org/10.1016/j.wasman.2012.07.008>

Cole, C. V., Duxbury, J., Freney, J., Heinemeyer, O., Minami, K., Mosier, A., ... Zhao, Q. (1997). Global estimates of potential mitigation of greenhouse gas emissions by agriculture. *Nutrient Cycling in Agroecosystems*, 49(1-3), 221–228. <http://doi.org/10.1023/A:1009731711346>

De Baere, L., & Mattheeuws, B. (2013). Anaerobic Digestion of the Organic Fraction of Municipal Solid Waste in Europe. Retrieved from <http://www.ows.be/wp-content/uploads/2013/02/Anaerobic-digestion-of-the-organic-fraction-of-MSW-in-Europe.pdf>

Doorn, M., & Barlaz, M. A. (n.d.). *Estimate of Global Methane Emissions from Landfills and Open Dumps*. Retrieved from <http://infohouse.p2ric.org/ref/07/06250.pdf>

Eghball, B. (2002). Soil Properties as Influenced by Phosphorus- and Nitrogen-Based Manure and Compost Applications. *Agronomy & Horticulture -- Faculty Publications*. Retrieved from <http://digitalcommons.unl.edu/agronomyfacpub/16>

Eklind, Y., & Kirchmann, H. (2000). Composting and storage of organic household waste with different litter amendments. I: carbon turnover. *Bioresource Technology*, 74(2), 115–124.  
[http://doi.org/10.1016/S0960-8524\(00\)00004-3](http://doi.org/10.1016/S0960-8524(00)00004-3)

Envirobiz. (2011). *Average Municipal Solid Waste (MSW) Landfill Gate Rate/Tipping Fee in the United States*. The Environbiz Group. Retrieved from <http://www.envirobiz.com/US-national-MSW-gate-rates-landfills.html>

Fabrizio, A., Tambone, F., & Genevini, P. (2009). Effect of compost application rate on carbon degradation and retention in soils. *Waste Management*, 29(1), 174–179.  
<http://doi.org/10.1016/j.wasman.2008.02.010>

Favoino, E., & Hogg, D. (2008). The potential role of compost in reducing greenhouse gases. *Waste Management & Research*, 26(1), 61–69. <http://doi.org/10.1177/0734242X08088584>

Freibauer, A., Rounsevell, M. D. A., Smith, P., & Verhagen, J. (2004). Carbon sequestration in the agricultural soils of Europe. *Geoderma*, 122(1), 1–23. <http://doi.org/10.1016/j.geoderma.2004.01.021>

Godfray, H. C. J., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., Nisbett, N., ... Whiteley, R. (2010). The future of the global food system. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365(1554), 2769–2777. <http://doi.org/10.1098/rstb.2010.0180>

Green Power Inc. (2014). *Landfill Tipping Fees in USA*. cleanenergyprojects.com. Retrieved from <http://www.cleanenergyprojects.com/Landfill-Tipping-Fees-in-USA-2013.html>

Hadas, A., & Portnoy, R. (1994). Nitrogen and Carbon Mineralization Rates of Composted Manures Incubated in Soil. *Journal of Environment Quality*, 23(6), 1184. <http://doi.org/10.2134/jeq1994.00472425002300060008x>

Hermann, B. G., Debeer, L., De Wilde, B., Blok, K., & Patel, M. K. (2011). To compost or not to compost: Carbon and energy footprints of biodegradable materials' waste treatment. *Polymer Degradation and Stability*, 96(6), 1159–1171. <http://doi.org/10.1016/j.polymdegradstab.2010.12.026>

He, Y., Inamori, Y., Mizuochi, M., Kong, H., Iwami, N., & Sun, T. (2000). Measurements of N<sub>2</sub>O and CH<sub>4</sub> from the aerated composting of food waste. *Science of The Total Environment*, 254(1), 65–74. [http://doi.org/10.1016/S0048-9697\(00\)00439-3](http://doi.org/10.1016/S0048-9697(00)00439-3)

Hoornweg, D., & Bhada-Tata, P. (2010). *What a Waste: A Global Review of Solid Waste Management*. The World Bank. Retrieved from <http://go.worldbank.org/BCQEP0TMO0>

Hoornweg, D., Thomas, L., & Otten, L. (1999). *Composting and Its Applicability in Developing Countries*. Washington, DC: The World Bank. Retrieved from [http://www.worldbank.org/urban/solid\\_wm/erm/CWG%20folder/uwp8.pdf](http://www.worldbank.org/urban/solid_wm/erm/CWG%20folder/uwp8.pdf)

Hottle, T. A., Bilec, M. M., Brown, N. R., & Landis, A. E. (2015). Toward zero waste: Composting and recycling for sustainable venue based events. *Waste Management*, 38, 86–94. <http://doi.org/10.1016/j.wasman.2015.01.019>

Iglesias Jiménez, E., & Perez Garcia, V. (1989). Evaluation of city refuse compost maturity: a review. *Biological Wastes*, 27(2), 115–142. [http://doi.org/10.1016/0269-7483\(89\)90039-6](http://doi.org/10.1016/0269-7483(89)90039-6)

Jiang, T., Schuchardt, F., Li, G., Guo, R., & Zhao, Y. (2011). Effect of C/N ratio, aeration rate and moisture content on ammonia and greenhouse gas emission during the composting. *Journal of Environmental Sciences*, 23(10), 1754–1760. [http://doi.org/10.1016/S1001-0742\(10\)60591-8](http://doi.org/10.1016/S1001-0742(10)60591-8)

john.paul. (n.d.). Understanding Moisture Loss During Composting | Transform Compost Systems. Retrieved from <http://www.transformcompostsystems.com/blog/2012/06/04/understanding-moisture-loss-during-composting/>

Khoo, H. H., Lim, T. Z., & Tan, R. B. H. (2010). Food waste conversion options in Singapore: Environmental impacts based on an LCA perspective. *Science of The Total Environment*, 408(6), 1367–1373. <http://doi.org/10.1016/j.scitotenv.2009.10.072>

- Kim, M.-H., & Kim, J.-W. (2010). Comparison through a LCA evaluation analysis of food waste disposal options from the perspective of global warming and resource recovery. *Science of The Total Environment*, 408(19), 3998–4006. <http://doi.org/10.1016/j.scitotenv.2010.04.049>
- Komilis, D. P. (2006). A kinetic analysis of solid waste composting at optimal conditions. *Waste Management*, 26(1), 82–91. <http://doi.org/10.1016/j.wasman.2004.12.021>
- Komilis, D. P., Ham, R. K., & Stegmann, R. (1999). The effect of municipal solid waste pretreatment on landfill behavior: a literature review \*. *Waste Management and Research*, 17(1), 10–19. <http://doi.org/10.1034/j.1399-3070.1999.00005.x>
- Lal, R. (2003). Global Potential of Soil Carbon Sequestration to Mitigate the Greenhouse Effect. *Critical Reviews in Plant Sciences*, 22(2), 151–184. <http://doi.org/10.1080/713610854>
- Lasoff, M. (2000, August 15). Growing Compost Profits. *waste360.com*. Retrieved from [http://waste360.com/mag/waste\\_growing\\_compost\\_profits](http://waste360.com/mag/waste_growing_compost_profits)
- Levis, J. W., & Barlaz, M. A. (2011). What Is the Most Environmentally Beneficial Way to Treat Commercial Food Waste? *Environmental Science & Technology*, 45(17), 7438–7444. <http://doi.org/10.1021/es103556m>
- Levitan, D. (2013). The Global Progress of Composting Food Waste. Retrieved June 4, 2015, from <http://ecowatch.com/2013/08/13/global-progress-composting/>
- Lopez-Real, J., & Baptista, M. (1996). A Preliminary Comparative Study of Three Manure Composting Systems and their Influence on Process Parameters and Methane Emissions. *Compost Science & Utilization*, 4(3), 71–82. <http://doi.org/10.1080/1065657X.1996.10701842>
- Lou, X. F., & Nair, J. (2009). The impact of landfilling and composting on greenhouse gas emissions – A review. *Bioresource Technology*, 100(16), 3792–3798. <http://doi.org/10.1016/j.biortech.2008.12.006>
- Lundie, S., & Peters, G. M. (2005). Life cycle assessment of food waste management options. *Journal of Cleaner Production*, 13(3), 275–286. <http://doi.org/10.1016/j.jclepro.2004.02.020>
- Martínez-Blanco, J., Lazcano, C., Boldrin, A., Muñoz, P., Rieradevall, J., Møller, J., ... Christensen, T. H. (2013). Assessing the Environmental Benefits of Compost Use-on-Land through an LCA Perspective. In E. Lichtfouse (Ed.), *Sustainable Agriculture Reviews* (pp. 255–318). Springer Netherlands. Retrieved from [http://link.springer.com/chapter/10.1007/978-94-007-5961-9\\_9](http://link.springer.com/chapter/10.1007/978-94-007-5961-9_9)
- Murphy, J. D., & Power, N. M. (2006). A Technical, Economic and Environmental Comparison of Composting and Anaerobic Digestion of Biodegradable Municipal Waste. *Journal of Environmental Science and Health, Part A*, 41(5), 865–879. <http://doi.org/10.1080/10934520600614488>
- Neve, S. D., Sleutel, S., & Hofman, G. (2003). Carbon mineralization from composts and food industry wastes added to soil. *Nutrient Cycling in Agroecosystems*, 67(1), 13–20. <http://doi.org/10.1023/A:1025113425069>

Parfitt, J., Barthel, M., & Macnaughton, S. (2010). Food waste within food supply chains: quantification and potential for change to 2050. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 365(1554), 3065–3081. <http://doi.org/10.1098/rstb.2010.0126>

Peigné, J., & Girardin, P. (2004). Environmental Impacts of Farm-Scale Composting Practices. *Water, Air, and Soil Pollution*, 153(1-4), 45–68. <http://doi.org/10.1023/B:WATE.0000019932.04020.b6>

Platt, B., Goldstein, N., Coker, C., & Brown, S. (2014). *State of Composting in the US: What, Why, Where, & How*. Institute for Local Self-Reliance. Retrieved from <http://ilsr.org/wp-content/uploads/2014/07/state-of-composting-in-us.pdf>

Renkow, M., & Rubin, A. R. (1998). Does municipal solid waste composting make economic sense? *Journal of Environmental Management*, 53(4), 339–347. <http://doi.org/10.1006/jema.1998.0214>

Ruggieri, L., Cadena, E., Martínez-Blanco, J., Gasol, C. M., Rieradevall, J., Gabarrell, X., ... Sánchez, A. (2009). Recovery of organic wastes in the Spanish wine industry. Technical, economic and environmental analyses of the composting process. *Journal of Cleaner Production*, 17(9), 830–838. <http://doi.org/10.1016/j.jclepro.2008.12.005>

Saer, A., Lansing, S., Davitt, N. H., & Graves, R. E. (2013). Life cycle assessment of a food waste composting system: environmental impact hotspots. *Journal of Cleaner Production*, 52, 234–244. <http://doi.org/10.1016/j.jclepro.2013.03.022>

Sonesson, U., Björklund, A., Carlsson, M., & Dalemo, M. (2000). Environmental and economic analysis of management systems for biodegradable waste. *Resources, Conservation and Recycling*, 28(1–2), 29–53. [http://doi.org/10.1016/S0921-3449\(99\)00029-4](http://doi.org/10.1016/S0921-3449(99)00029-4)

Staley, B., & Barlaz, M. A. (2009). Composition of Municipal Solid Waste in the United States and Implications for Carbon Sequestration and Methane Yield. *Journal of Environmental Engineering*, 135(10), 901–909. [http://doi.org/10.1061/\(ASCE\)EE.1943-7870.0000032](http://doi.org/10.1061/(ASCE)EE.1943-7870.0000032)

Stuart, T. (2009). *Waste: Uncovering the Global Food Scandal*. W. W. Norton & Company.

Szanto, G. L., Hamelers, H. V. M., Rulkens, W. H., & Veeken, A. H. M. (2007). NH<sub>3</sub>, N<sub>2</sub>O and CH<sub>4</sub> emissions during passively aerated composting of straw-rich pig manure. *Bioresource Technology*, 98(14), 2659–2670. <http://doi.org/10.1016/j.biortech.2006.09.021>

Trueblood, I., & Thompson, J. (2012). Waste Business Journal. *Waste Business Journal*. Retrieved from <http://www.wastebusinessjournal.com/news/wbj20121003A.htm>

USCC. (2010). Advocacy Resource Materials | US Composting Council. Retrieved from <http://compostingcouncil.org/advocacy-resource-materials/>

USEPA. (2006, October 19). Waste Home - Waste Reduction Model (WARM) | Climate Change - What You Can Do | U.S. EPA. Retrieved March 26, 2015, from <http://epa.gov/epawaste/conserves/tools/warm/index.html>

USEPA. (2011). *Municipal Solid Waste Generation, Recycling, and Disposal in the United States: Facts and Figures for 2011*. US Environmental Protection Agency.

USEPA. (2012). *Municipal Solid Waste Generation, Recycling, and Disposal in the United States: Facts and Figures for 2012*. US Environmental Protection Agency.

USEPA. (2014). Resource Conservation - Food Waste [Collections & Lists]. Retrieved April 29, 2015, from <http://www.epa.gov/foodrecovery/>

Van Haaren, R. (2009, January 8). *Large scale aerobic composting of source-separated organic wastes: A comparative study of environmental impacts, costs, and contextual effects*. Columbia University, New York. Retrieved from [http://www.seas.columbia.edu/earth/wtert/sofos/haaren\\_thesis.pdf](http://www.seas.columbia.edu/earth/wtert/sofos/haaren_thesis.pdf)

Van Rossum, J. (2012). *Compost Facility Survey - 2012*. SHWEC Solid & Hazardous Waste Education Center: University of Wisconsin Cooperative Extension. Retrieved from <http://www4.uwm.edu/shwec/publications/cabinet/composting/2012%20Compost%20Facility%20Survey.pdf>

Wang, Y.S., Odle, W. S., Eleazer, W. E., & Bariaz, M. A. (1997). Methane Potential of Food Waste and Anaerobic Toxicity of Leachate Produced During Food Waste Decomposition. *Waste Management & Research*, 15(2), 149–167. <http://doi.org/10.1177/0734242X9701500204>

Zhang, R., El-Mashad, H. M., Hartman, K., Wang, F., Liu, G., Choate, C., & Gamble, P. (2007). Characterization of food waste as feedstock for anaerobic digestion. *Bioresource Technology*, 98(4), 929–935. <http://doi.org/10.1016/j.biortech.2006.02.039>