



TEMPERATE FORESTS

Drawdown Technical Assessment References

Achard, F., Beuchle, R., Mayaux, P. et al. (2014). Determination of tropical deforestation rates and related carbon losses from 1990 to 2010. *Global Change Biology*, 20, 2540-2554.

Alves, D.S., Soares, J.V., Amaral S., Mello, E.M.K., Almeida, Sa.S., Dasilva, O.F., Silveira, A.M. (1997). Biomass of primary and secondary vegetation in Rondonia, Western Brazilian Amazon. *Global Change Biology*, 3, 451-461.

Arora, V.K., Montenegro, A. (2011). Small temperature benefits provided by realistic afforestation efforts. *Nature Geoscience*, 4, 514-518.

Avitabile, V., Herold, M., Heuvelink, G., et al. (2016). An integrated pan-tropical biomass map using multiple reference datasets. *Global Change Biology*.

Baccini, A., Goetz, S., Walker, W. et al. (2012). Estimated carbon dioxide emissions from tropical deforestation improved by carbon-density maps. *Nature Climate Change*, 2, 182-185.

Barlow, J., Gardner, T.A., Araujo, I.S., et al. (2007). Quantifying the biodiversity value of tropical primary, secondary, and plantation forests. *Proceedings of the National Academy of Sciences*, 104, 18555-18560.

Bellassen, V., Luyssaert, S. (2014). Managing forests in uncertain times. *Nature*, 506, 153-155.

Benayas, J.R., Martins, A., Nicolau, J.M., Schulz, J.J. (2007). Abandonment of agricultural land: an overview of drivers and consequences. *CAB reviews: perspectives in agriculture, veterinary science, nutrition and natural resources*, 2, 1-14.

Berry, N.J., Phillips, O.L., Lewis, S.L., et al. (2010). The high value of logged tropical forests: lessons from northern Borneo. *Biodiversity and Conservation*, 19, 985-997.

Betts, R.A. (2000). Offset of the potential carbon sink from boreal forestation by decreases in surface albedo. *Nature*, 408, 187-190.

Bonan, G. B. (2008). Forests and climate change: Forcings, feedbacks, and the climate benefits of forests. *Science*, 320 (5882), 1444-1449.

Bonner, M.T.L., Schmidt, S., Shoo, L.P. (2013). A meta-analytical global comparison of aboveground biomass accumulation between tropical secondary forests and monoculture plantations. *Forest Ecology and Management*, 291, 73-86.

Bruijnzeel, L.A. (2004). Hydrological functions of tropical forests: not seeing the soil for the trees? *Agriculture, Ecosystems & Environment*, 104, 185-228.

Canadell, J.G., Raupach, M.R. (2008). Managing Forests for Climate Change Mitigation. *Science*, 320, 1456-1457.

Cardinale, B.J., Duffy, J.E., Gonzalez, A., et al. (2012). Biodiversity loss and its impact on humanity. *Nature*, 486, 59-67.

Cardinale, B.J., Matulich, K.L., Hooper, D.U., et al. (2011). The functional role of producer diversity in ecosystems. *American Journal of Botany*, 98, 572-592.

CBD. (2013). Quick guides to the Aichi Biodiversity Targets. Convention on Biological Diversity.

Chazdon, R.L. (2008). Beyond deforestation: Restoring forests and ecosystem services on degraded lands. *Science*, 320, 1458-1460.

Chazdon, R.L., Broadbent, E.N., Rozendaal, D.M., et al. (2016). Carbon sequestration potential of second-growth forest regeneration in the Latin American tropics. *Science Advances*, 2.

Chazdon, R.L., Peres, C.A., Dent, D., et al. (2009). The Potential for Species Conservation in Tropical Secondary Forests. *Conservation Biology*, 23, 1406-1417.

Cochrane, M.A. (2003). Fire science for rainforests. *Nature*, 421, 913-919.

Cochrane, M.A., Alencar, A., Schulze, M.D., Souza, C.M., Nepstad, D.C., Lefebvre, P., Davidson, E.A. (1999). Positive Feedbacks in the Fire Dynamic of Closed Canopy Tropical Forests. *Science*, 284, 1832-1835.

Crouzeilles, R., Curran, M., Ferreira, M.S., Lindenmayer, D.B., Grelle, C.E., Benayas, J.M.R. (2016). A global meta-analysis on the ecological drivers of forest restoration success. *Nature communications*, 7.

Cubiña, A. & Aide, T.M. (2001). The effect of distance from forest edge on seed rain and soil seed bank in a tropical pasture. *Biotropica*, 33, 260-267.

Del Aguila-Pasquel, J., Doughty, C.E., Metcalfe, DB et al. (2014). The seasonal cycle of productivity, metabolism and carbon dynamics in a wet aseasonal forest in north-west Amazonia (Iquitos, Peru). *Plant Ecology & Diversity*, 7, 71-83.

Dent DH, Wright SJ. (2009). The future of tropical species in secondary forests: A quantitative review. *Biological Conservation*, 142, 2833-2843.

- Diaz-Balteiro, L., Rodriguez, L.C.E. (2006) Optimal rotations on Eucalyptus plantations including carbon sequestration—A comparison of results in Brazil and Spain. *Forest Ecology and Management*, 229, 247-258.
- Don, A., Schumacher, J., Freibauer, A. (2011). Impact of tropical land-use change on soil organic carbon stocks – a meta-analysis. *Global Change Biology*, 17, 1658-1670.
- Douglas, I., Greer, T., Bidin, K., Spilsbury, M. (1993). Impacts of Rainforest Logging on River Systems and Communities in Malaysia and Kalimantan. *Global Ecology and Biogeography Letters*, 3, 245-252.
- Edwards, D.P., Ancell, F.A., Ahmad, A.H., Nilus, R., Hamer, K.C. (2009). The value of rehabilitating logged rainforest for birds. *Conservation Biology*, 23, 1628-1633.
- Edwards, D.P., Larsen, T.H., Docherty, T.D.S., et al. (2011). Degraded lands worth protecting: the biological importance of Southeast Asia's repeatedly logged forests. *Proceedings of the Royal Society B: Biological Sciences*, 278, 82-90.
- Ehigiator, O.A., Anyata, B.U. (2011). Effects of land clearing techniques and tillage systems on runoff and soil erosion in a tropical rain forest in Nigeria. *Journal of Environmental Management*, 92, 2875-2880.
- FAO. (2000). On definitions of forest and forest change In: *Forest Resources Assessment working paper 33*. Rome.
- FAO. (2010). Global Forest Resources Assessment 2010. In: *FAO Forestry paper 163*. Rome.
- FAO. (2011). State of the worlds forests 2011. Rome, Food and Agricultural Organization of the United Nations.
- Fisher, B. (2010). African exception to drivers of deforestation. *Nature Geoscience*, 3, 375-376.
- Fitzherbert, E.B., Struebig, M.J., Morel, A., Danielsen, F., Brühl, C.A., Donald, P.F., Phalan, B. (2008). How will oil palm expansion affect biodiversity? *Trends in Ecology & Evolution*, 23, 538-545.
- Galbraith, D., Malhi, Y., Affum-Baffoe, K. et al. (2013). Residence times of woody biomass in tropical forests. *Plant Ecology & Diversity*, 6, 139-157.
- Geist, H.J., Lambin, E.F. (2002). Proximate Causes and Underlying Driving Forces of Tropical Deforestation. *Bioscience*, 52, 143-150.
- Gibson, L., Lee, T.M., Koh, L.P. et al. (2011). Primary forests are irreplaceable for sustaining tropical biodiversity. *Nature*, 478, 378-381.
- Gilroy, J.J., Woodcock, P., Edwards, F.A. et al. (2014). Cheap carbon and biodiversity co-benefits from forest regeneration in a hotspot of endemism. *CAB reviews: perspectives in agriculture, veterinary science, nutrition and natural resources*.

- Grace, J., Mitchard, E., Gloor, E. (2014). Perturbations in the carbon budget of the tropics. *Global Change Biology*, 20, 3238-3255.
- Guariguata, M.R., García-Fernández, C., Sheil, D., Nasi, R., Herrero-Jáuregui, C., Cronkleton, P., Ingram, V. (2010). Compatibility of timber and non-timber forest product management in natural tropical forests: Perspectives, challenges, and opportunities. *Forest Ecology and Management*, 259, 237-245.
- Guariguata, M.R., Ostertag, R. (2001). Neotropical secondary forest succession: changes in structural and functional characteristics. *Forest Ecology and Management*, 148, 185-206.
- Hansen, M.C., Potapov, P.V., Moore, R. et al. (2013). High-Resolution Global Maps of 21st-Century Forest Cover Change. *Science*, 342, 850-853.
- Hattori, D., Kenzo, T., Irino, K.O., Kendawang, J.J., Ninomiya, I., Sakurai, K. (2013). Effects of soil compaction on the growth and mortality of planted dipterocarp seedlings in a logged-over tropical rainforest in Sarawak, Malaysia. *Forest Ecology and Management*, 310, 770-776.
- Hill, J.K., Gray, M.A., Khen, C.V., Benedick, S., Tawatao, N., Hamer, K.C. (2011). Ecological impacts of tropical forest fragmentation: how consistent are patterns in species richness and nestedness? *Philosophical Transactions of the Royal Society B: Biological Sciences*, 366, 3265-3276.
- Hodgson, J.A., Thomas, C.D., Wintle, B.A., Moilanen, A. (2009). Climate change, connectivity and conservation decision making: back to basics. *Journal of Applied Ecology*, 46, 964-969.
- Hooper D, Chapin Iii F, Ewel J et al. (2005) Effects of biodiversity on ecosystem functioning: a consensus of current knowledge. *Ecological Monographs*, 75, 3-35.
- Houghton, R., Byers, B., Nassikas, A.A. (2015). A role for tropical forests in stabilizing atmospheric CO₂. *Nature Climate Change*, 5, 1022-1023.
- Hughes, R.F., Kauffman, J.B., Jaramillo, V.J. (1999). Biomass, carbon, and nutrient dynamics of secondary forests in a humid tropical region of Mexico. *Ecology*, 80, 1892-1907.
- IPCC. (2014). Climate Change 2014: Mitigation of Climate Change. In: *Working group III*. Intergovernmental Panel on Climate Change.
- ITTO. (2002). ITTO guidelines for the restoration, management and rehabilitation of degraded and secondary tropical forests. In: *ITTO Policy Development Series* International Tropical Timber Organization.
- Kho, L.K., Malhi, Y., Tan, S.K.S. (2013). Annual budget and seasonal variation of aboveground and belowground net primary productivity in a lowland dipterocarp forest in Borneo. *Journal of Geophysical Research: Biogeosciences*, 118, 1282-1296.
- Lal, R. (2005). Forest soils and carbon sequestration. *Forest Ecology and Management*, 220, 242-258.

- Lal, R., & Lorenz, K. (2012). Carbon sequestration in temperate forests. In *Recarbonization of the Biosphere* (pp. 187-201). Springer Netherlands.
- Lamb, D. (2010). *Regreening the bare hills: tropical forest restoration in the Asia-Pacific region*, Springer.
- Lamb, D., Erskine, P., Parrotta, J. (2005). Restoration of degraded tropical forest landscapes. *Science*, 310, 1628-1632.
- Locatelli, B., Catterall, C.P., Imbach, P. et al. (2015). Tropical reforestation and climate change: beyond carbon. *Restoration Ecology*, 23, 337-343.
- Lonsdale, W.M. (1999). Global patterns of plant invasions and the concept of invasibility. *Ecology*, 80, 1522-1536.
- Luysaert, S., Inglima, I., Jung, M. et al. (2007). CO₂ balance of boreal, temperate, and tropical forests derived from a global database. *Global Change Biology*, 13, 2509-2537.
- Malhi, Y. (2012). The productivity, metabolism and carbon cycle of tropical forest vegetation. *Journal of Ecology*, 100, 65-75.
- Malhi, Y., Baldocchi, D., Jarvis, P. (1999). The carbon balance of tropical, temperate and boreal forests. *Plant, Cell & Environment*, 22, 715-740.
- Martin, P.A., Newton, A.C., Bullock, J.M. (2013). Carbon pools recover more quickly than plant biodiversity in tropical secondary forests. *Proceedings of the Royal Society B-Biological Sciences*, 280.
- Martínez, L., Zinck, J. (2004). Temporal variation of soil compaction and deterioration of soil quality in pasture areas of Colombian Amazonia. *Soil and Tillage Research*, 75, 3-18.
- Miettinen, J., Hooijer, A., Shi, C. et al. (2012). Extent of industrial plantations on Southeast Asian peatlands in 2010 with analysis of historical expansion and future projections. *Global Change Biology Bioenergy*, 4, 908-918.
- Minnemeyer, S., Laestadius, L., Sizer, N., Saint-Laurent, C., Potapov, P.V. (2011). Bonn Challenge: A World of Opportunity In: Available at: <http://www.forestlandscaperestoration.org/resource/bonn-challenge-world-opportunity>. World Resource Institute.
- Mugagga, F., Kakembo, V., Buyinza, M. (2012). Land use changes on the slopes of Mount Elgon and the implications for the occurrence of landslides. *CATENA*, 90, 39-46.
- Palace, M., Hurtt, G., Keller, M., Frohling, S. (2012). *A review of above ground necromass in tropical forests*, INTECH Open Access Publisher.
- Pan, Y., Birdsey, R.A., Fang, J. et al. (2011). A large and persistent carbon sink in the world's forests. *Science*, 333, 988-993.

- Phillips, O.L., Lewis, S.L., Baker, T.R., Chao, K.J., Higuchi, N. (2008). The changing Amazon forest. *Philosophical Transactions of the Royal Society B-Biological Sciences*, 363, 1819-1827.
- Pinard, M.A., Putz, F.E. (1996). Retaining forest biomass by reducing logging damage. *Biotropica*, 28, 278-295.
- Poorter, L., Bongers, F., Aide, T.M. et al. (2016). Biomass resilience of Neotropical secondary forests. *Nature*, 530, 211-214.
- Preece, N.D., Crowley, G.M., Lawes, M.J., Van Oosterzee, P. (2012). Comparing above-ground biomass among forest types in the Wet Tropics: Small stems and plantation types matter in carbon accounting. *Forest Ecology and Management*, 264, 228-237.
- Putz, F.E., Zuidema, P.A., Synnott, T. et al. (2012). Sustaining conservation values in selectively logged tropical forests: the attained and the attainable. *Conservation Letters*, 5, 296-303.
- Rist, L., Shanley, P., Sunderland, T., Sheil, D., Ndoye, O., Liswanti, N., Tieguhong, J. (2012). The impacts of selective logging on non-timber forest products of livelihood importance. *Forest Ecology and Management*, 268, 57-69.
- Saatchi, S.S., Harris, N.L., Brown, S. et al. (2011). Benchmark map of forest carbon stocks in tropical regions across three continents. *Proceedings of the National Academy of Sciences*, 108, 9899-9904.
- Saldarriaga, J.G., West, D.C., Tharp, M.L., Uhl, C. (1988). Long-Term Chronosequence of Forest Succession in the Upper Rio Negro of Colombia and Venezuela *Journal of Ecology*, 76, 938-958.
- Shackleton, C.M., Pandey, A.K. (2014). Positioning non-timber forest products on the development agenda. *Forest Policy and Economics*, 38, 1-7.
- Suding, K., Higgs, E., Palmer, M. et al. (2015). Committing to ecological restoration. *Science*, 348, 638-640.
- The Bonn Challenge. (2016). <http://www.bonnchallenge.org/>. [accessed July 2015].
- Thomas, S.C., Martin, A.R. (2012). Carbon content of tree tissues: a synthesis. *Forests*, 3, 332-352.
- Tian, H., Lu, C., Ciais, P. et al. (2016). The terrestrial biosphere as a net source of greenhouse gases to the atmosphere. *Nature*, 531, 225-228.
- Trabucco, A., Zomer, R.J., Bossio, D.A., Van Straaten, O., Verchot, L.V. (2008). Climate change mitigation through afforestation/reforestation: A global analysis of hydrologic impacts with four case studies. *Agriculture, Ecosystems & Environment*, 126, 81-97.
- Uhl, C., Buschbacher, R., Serrao, E.S. (1988). Abandoned Pastures in Eastern Amazonia. I. Patterns of Plant Succession *Journal of Ecology*, 76, 663-681.

Uhl, C., Jordan, C., Clark, K., Clark, H., Herrera, R. (1982). Ecosystem Recovery in Amazon Caatinga Forest after Cutting, Cutting and Burning, and Bulldozer Clearing Treatments. *Oikos*, 38, 313-320.

UNFCCC. (n.d.). Forests: Action Statements and Action Plans. Retrieved April 26, 2017, from <http://www.un.org/climatechange/summit/wp-content/uploads/sites/2/2014/07/New-York-Declaration-on-Forest-%E2%80%93-Action-Statement-and-Action-Plan.pdf>

UNFCCC. (2014). New York Declaration on Forest. New York, United Nations.

UNFCCC. (2015). The Paris Agreement. In: *Conference of the Parties 21*. Paris, United Nations Framework Convention on Climate Change.

Van Kleunen, M., Weber, E., Fischer, M. (2010). A meta-analysis of trait differences between invasive and non-invasive plant species. *Ecology Letters*, 13, 235-245.

Vitousek, P.M., Sanford, R. (1986). Nutrient cycling in moist tropical forest. *Annual review of Ecology and Systematics*, 137-167.

Wheeler, C.E., Omeja, P.A., Chapman, C.A., Glipin, M., Tumwesigye, C., Lewis, S.L. (2016). Carbon sequestration and biodiversity following 18years of active tropical forest restoration. *Forest Ecology and Management*, 373, 44-55.

WRI. (n.d.). Global Restoration Initiative. Retrieved April 26, 2017, from <http://www.wri.org/our-work/project/global-restoration-initiative>

Ziegler, A.D., Phelps, J., Yuen, J.Q. et al. (2012). Carbon outcomes of major land-cover transitions in SE Asia: great uncertainties and REDD plus policy implications. *Global Change Biology*, 18, 3087-3099.